

**Amendments to the Claims:**

The following listing of claims will replace all prior versions, and listings, of claims in the application:

1. (Currently Amended) A touch panel, comprising:  
~~a pair of substrates opposing each other and having a predetermined spacing therebetween;~~  
transparent electrodes formed on both of the pair of substrates, pairs of the transparent electrodes that face each other from different ones of the substrates being capable of selective contact with and separation from each other, at least one of the pair of transparent electrodes having thereon a plurality of projections  
~~a pair of transparent electrodes having a respectively predetermined pattern, each of the transparent electrodes being formed on an inner surface of each of the pair of substrates; and~~  
a plurality of projections formed on the surface of at least one of the pair of transparent electrodes, the projections being formed to have a substantially periodical pitch that is shorter than any wavelength of visible light.
2. (Original) The touch panel according to Claim 1, an air space being formed between the pair of transparent electrodes.
3. (Original) The touch panel according to Claim 1, each of the projections becoming smaller from a bottom to a top thereof.
4. (Original) The touch panel according to Claim 3, each of the projections becoming continuously smaller from the bottom to the top thereof.
5. (Original) The touch panel according to Claim 3, each of the projections becoming smaller in a stepwise manner from the bottom to the top thereof.

6. (Original) The touch panel according to Claim 3, each of the projections being formed as one of a truncated pyramid, a truncated cone, a pyramid and a cone.

7. (Original) The touch panel according to Claim 1, the plurality of projections being arranged with a substantially periodical pitch in at least two directions.

8. (Currently Amended) The touch panel according to Claim 1, the plurality of projections having a pitch ~~ranging from 10 to~~ shorter than 100 nm.

9. (Original) The touch panel according to Claim 1, the plurality of projections being formed on surfaces of the pair of transparent electrodes.

10. (Original) The touch panel according to Claim 9, the plurality of projections formed on the surface of one of the pair of transparent electrodes having the same pattern as that of the other transparent electrode.

11. (Original) The touch panel according to Claim 9, the plurality of projections formed on the surface of one of the pair of transparent electrodes having a pattern different from that of the other transparent electrode.

12. (Original) The touch panel according to Claim 1, each of the projections being formed by providing a projection on a surface of the substrate and the transparent electrode being formed over the projection of the substrate.

13. (Currently Amended) The touch panel according to Claim 1, each of the projections being formed by providing a projection ~~on~~ of the transparent electrode on a flat substrate.

14. (Original) The touch panel according to Claim 1, further comprising a plurality of spacers positioned between the pair of transparent electrodes that maintain the spacing between the pair of transparent electrodes.

15. (Original) The touch panel according to Claim 1, the touch panel being at least one of an analog resistive contact type, a digital resistive contact type, and an electrostatic capacitive coupling type.

16. (Original) An electronic device including a touch panel, comprising:

- a lower substrate;
- a flexible input substrate opposing the lower substrate and having a predetermined spacing therebetween;
- a lower transparent electrode having a predetermined pattern formed on the inner surface of the lower substrate;
- an input transparent electrode having a predetermined pattern formed on an inner surface of the input substrate so as to oppose the lower transparent electrode with a predetermined spacing therebetween; and
- a plurality of projections formed on a surface of at least one of the lower transparent electrode and the input transparent electrode having a substantially periodical pitch that is shorter than any wavelength of visible light.

---